

OVERVIEW



1. Power button	5. 2x USB 3.2 Gen 2
2. Combo audio jack (on bottom)	6. Ethernet (RJ-45)
3. Power connector	7. 2x USB 2.0
4. HDMI-out	8. Optical drive *

Notes:

• Ports with * are only available on selected models



PERFORMANCE

Processor

Processor Family

Intel® Celeron®, Intel Pentium®, 12th Generation Intel Core™ i3 U-Series, or 12th Generation Intel Core i3 / i5 Processor P-Series

Processor**[1]

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Celeron 7305	5 (1 P-core + 4 E-core)	6	P-core 1.1GHz / E- core 0.9GHz	-	8MB	DDR4-3200	Intel UHD Graphics
Pentium Gold 8505	5 (1 P-core + 4 E-core)	6	P-core 1.2GHz / E- core 0.9GHz	P-core 4.4GHz / E- core 3.3GHz	8MB	DDR4-3200	Intel UHD Graphics
Core i3-1215U	6 (2 P-core + 4 E-core)	8	P-core 1.2GHz / E- core 0.9GHz	P-core 4.4GHz / E- core 3.3GHz	10MB	DDR4-3200	Intel UHD Graphics
Core i5-1235U	10 (2 P-core + 8 E-core)	12	P-core 1.3GHz / E- core 0.9GHz	P-core 4.4GHz / E- core 3.3GHz	12MB	DDR4-3200	Intel Iris® Xe Graphics
Core i3-1220P	10 (2 P-core + 8 E-core)	12	P-core 1.5GHz / E- core 1.1GHz	P-core 4.4GHz / E- core 3.3GHz	12MB	DDR4-3200	Intel UHD Graphics
Core i5-1240P	12 (4 P-core + 8 E-core)	16	P-core 1.7GHz / E- core 1.2GHz	P-core 4.4GHz / E- core 3.3GHz	12MB	DDR4-3200	Intel Iris Xe Graphics
Core i5- 12450H	8 (4 P-core + 4 E-core)	12	P-core 2.0GHz / E- core 1.5GHz	P-core 4.4GHz / E- core 3.3GHz	12MB	DDR5-4800	Intel UHD Graphics
Core i7-1260P	12 (4 P-core + 8 E-core)	16	P-core 2.1GHz / E- core 1.5GHz	P-core 4.7GHz / E- core 3.4GHz	18MB	DDR4-3200	Intel Iris Xe Graphics

Notes:

Operating System

Operating System**

- Windows® 11 Pro
- Windows 11 Home
- Windows 11 Home Single Language
- Windows 11 DG Windows 10 Pro 64
- · No operating system

Graphics

Graphics**[1][2]

Graphics	Туре	Memory	Connector	Max Resolution	Key Features
Intel UHD Graphics	Integrated	Shared	1x HDMI® 1.4	1920x1080@60Hz	DirectX® 12
Intel Iris Xe Graphics	Integrated	Shared	1x HDMI 1.4	1920x1080@60Hz	DirectX 12
Intel UHD Graphics	Integrated	Shared	1x HDMI 1.4	1920x1080@60Hz	DirectX 12.1

Notes:

- 1. The information of integrated graphics are not applicable for the models without integrated graphics (for the details, please refer to processor section)
- 2. Intel Iris Xe Graphics capability requires system to be configured with dual-channel memory. On the system with single-channel memory, Intel Iris Xe Graphics will function as Intel UHD Graphics.

Monitor Support

Monitor Support

Supports up to 2 independent displays via native display and 1 external monitor; supports external monitor via HDMI

^{1.} Intel Iris Xe Graphics capability requires system to be configured with dual-channel memory. On the system with single-channel memory, Intel Iris Xe Graphics will function as Intel UHD Graphics.



Chipset

Chipset

Intel SoC (System on Chip) platform

Memory

Max Memory[1]

Up to 16GB DDR4-3200

Memory Slots

Two DDR4 SO-DIMM slots, dual-channel capable

Memory Type

DDR4-3200

Notes:

1. The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

Storage

Storage Support[1]

- Up to two drives, 1x 2.5" HDD + 1x M.2 SSD
 - 2.5" HDD up to 1TB
 - M.2 SSD up to 1TB
- For installing HDD storage, assembly kits are needed. The kits only come with HDD models.

Storage Type***

Disk Type	Disk Type Interface	
2.5" SATA HDD	SATA 6Gb/s	5.4K
M.2 2242 SSD	PCIe® NVMe®, PCIe 3.0 x4	-
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	-
M.2 2280 SSD	PCIe NVMe, PCIe 4.0 x4	-
M.2 2280 SSD	PCIe NVMe, PCIe 4.0 x4	-

RAID

No support

Notes:

Removable Storage

Optical

- DVD burner (DVD±RW), SATA 1.5Gb/s, slim (9.0mm)
- None

Card Reader

No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC256 codec

Speakers

Stereo speakers, 3W x2, Audio by HARMAN

Microphone

Dual-microphone array

Camera*

- 5.0-megapixel IR camera, 0° Pre-angle pull up camera, with privacy shutter, LED indicator
- HD 720p 0° Pre-angle pull up camera, with privacy shutter, LED indicator

^{1.} The storage capacity supported is based on the test results with current Lenovo storage offerings. The system may support larger storage as the technology develops.



· No camera

Power Supply

Power Supply

Power	Туре	Efficiency	Key Features
90W	Adapter	89%	Autosensing

DESIGN

Display

Display[1]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle	Key Features
23.8"	FHD (1920x1080)	None	WVA	250 nits	Anti- glare	16:9	1000:1	1/2%	·	14ms response Time, 16.7 million color depth, 60Hz refresh rate, borderless design

Touchscreen

Non-touch

Notes:

1. California Electronic Waste Recycling Fee

In California, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, go to https://www.calrecycle.ca.gov/Electronics/Consumer

Input Device

Keyboard**

- Lenovo Calliope Keyboard (USB connector), black
- Lenovo Calliope Wireless Keyboard, black

Mouse**

- Lenovo Calliope Mouse (USB connector), black
- Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black

Mechanical

Form Factor

AIO (23.8 inches)

Dimensions (WxDxH)

Models	Dimensions
Models with liftable monitor stand	541 x 220 x 380.44-480.44 mm (21.3 x 8.66 x 14.98-18.91 inches)
Models with monitor stand	541 x 185 x 433.6 mm (21.3 x 7.3 x 17.1 inches)

Packaging Dimensions (WxDxH)

695 x 196 x 569 mm (27.36 x 7.72 x 22.40 inches)

Weight

Models	Weight
Models with liftable monitor stand	Around 6.6 kg (14.6 lbs)
Models with monitor stand	Around 6.7 kg (14.8 lbs)

Packaging Weight

Around 10.74 kg (23.08 lbs)

Case Color

Raven black

Bays



- 1x 2.5" disk bay
- For installing HDD storage, assembly kits are needed. The kits only come with HDD models.

Expansion Slots

Two M.2 slots (one for WLAN, one for SSD)

EOU

Support EOU design for HDD

Stand**

- Monitor stand, supports -5° to +25° tilt, left & right 45° swivel
- Liftable monitor stand, supports -5° to +16° tilt, left & right 45° swivel, up to 100mm lift

Mounting

None

CONNECTIVITY

Network

Onboard Ethernet

Gigabit Ethernet, Realtek RTL8111H, 1x RJ-45

WLAN + Bluetooth®**[1]

- Intel Wi-Fi® 6 AX201, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card
- Intel Wireless-AC 9560, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card
- Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card
- Realtek Wi-Fi 6 RTL8852BE, 802.11ax Dual Band 2x2 Wi-Fi + Bluetooth 5.1, M.2 card

Notes:

1. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitation

Ports^[1]

Front Ports

None

Rear Ports[2]

- 1x HDMI-out
- 2x USB 2.0
- 2x USB 3.2 Gen 2
- 1x Ethernet (RJ-45)
- 1x power connector

Bottom Ports

1x headphone / microphone combo jack (3.5mm)

Left Ports

None

Optional Left Ports

None

Right Ports

None

Optional Right Ports

None

Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s

2. For video ports on discrete graphics, please see graphics section

Monitor Cable



Monitor Cable

No monitor cable

SECURITY & PRIVACY

Security

Security Chip

Firmware TPM 2.0 integrated in SoC

BIOS Security

- · Administrator password
- Power-on password
- · Hard disk password
- · Cover presence switch
- · Intel BIOS guard

SERVICE

Warranty^[1]

Base Warranty**

- 1-year courier or carry-in service
- 1-year limited onsite service

Notes

1. The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to https://smartfind.lenovo.com/. To learn more details of warranty policy, please access https://pcsupport.lenovo.com/warranty.

ENVIRONMENTAL

Operating Environment

Temperature

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage: -20°C (-4°F) to 60°C (140°F)

Humidity

Operating: 20% to 80%

• Storage: 10% to 90%

Altitude

• Operating: 0 m (0 ft) to 3048 m (10,000 ft)

• Storage: 0 m (0 ft) to 12192 m (40,000 ft)

CERTIFICATIONS

Green Certifications

Green Certifications

- (Optional) EPEAT™ Silver
- (Optional) ENERGY STAR® 8.0
- ErP Lot 3 and Lot 7
- RoHS / WEEE / REACH

Other Certifications

Other Certifications

- TÜV Rheinland® Flicker Free
- TÜV Rheinland Low Blue Light
- TÜV Rheinland Low Noise

ThinkCentre neo 30a 24



- Feature with ** means that only one offering listed under the feature is configured on selected models.
- Feature with *** means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
 responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
 WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
 OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
 disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
 you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.















intel







intel