

# WorkForce Pro WF-C4310DW



Reduce your business printing costs with this A4 inkjet. It offers high-quality, low-cost-printing and flexible wireless solutions.

Stride through tasks with print speeds of up to 21ppm<sup>1</sup> and cost-effective inks. Perfect for the business environment while cutting business' environmental impact and improving CSR reputation.

#### Print in high quality

This A4 printer will meet the needs of even the most demanding home office and small office users. Furthermore, its PrecisionCore printhead produces high-quality, laser-like prints.

#### Enhance your productivity

This efficient, reliable and fast model offers A4 double-sided printing and print speeds of 21ppm in black and 11ppm in colour<sup>1</sup>. It's also simple to operate directly thanks to its intuitive user interface and 6.1cm touchscreen.

#### Minimise your outgoings


Dramatically reduce your costs; this printer is compatible with individual inks which are 50% more efficient compared to tri-colour cartridges<sup>2</sup>. Giving great value for money, cartridges are available in standard and XL, with the highest yield delivering up to 2,200 pages<sup>3</sup>.

#### Be flexible with wireless solutions

Print from anywhere in the office with Wi-Fi connectivity or use Wi-Fi Direct to print from compatible wireless devices without a Wi-Fi network. Epson's free mobile printing apps and solutions provide further versatility; Email Print allows you to send items to print from almost anywhere in the world .

## KEY FEATURES

- **High-quality A4 Single Function**  
Double-sided print
- **Fast business-quality printing**  
21ppm in black and 11ppm in colour<sup>1</sup>
- **Cost-effective inks**  
Individual inks are 50% more efficient compared to tri-colour cartridges<sup>2</sup>
- **Wireless solutions**  
Ethernet, Wi-Fi, and Wi-Fi Direct
- **Epson's free mobile printing apps**  
Freedom to print from almost anywhere



## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	800 Nozzles Black, 256 Nozzles per Color
Minimum Droplet Size	3,8 pl, With Variable-Sized Droplet Technology
Ink Technology	DURABrite™ Ultra
Category	Home Office, Office Desktop
All-in-One Functions	Print

### PRINT

Number of colours	4 colour
First Page Out	Monochrome6,3 Seconds, Colour9,3 Seconds
Printing Speed ISO/IEC 24734	21 pages/min Monochrome, 11 pages/min Colour
Printing Resolution	4.800 x 2.400 DPI
Printing Volume	33.000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Colours	Black [Pigment], Cyan [Pigment], Yellow [Pigment], Magenta [Pigment]
Print from	PC, MAC, Mobile Device

### PAPER / MEDIA HANDLING

Paper Formats	Letter, A4 (21.0x29.7 cm)
Automatic Document Feed	Yes
Compatible Paper Weight	64 - 255g/m <sup>2</sup> Paper compatibility may vary by printer. Third party media may not be compatible. See printer's online User's Guide for suitable Epson paper and note that 300gsm, where applicable, is based on Epson Ultra Glossy Photo Paper
Duplex	Yes (A4, plain paper)
Output Tray Capacity	Output Tray 1:250 Sheets
Paper Tray Capacity	250 Sheets Maximum
Number of paper trays	1

### PAPER FEED RASF

Paper Input Name	RASF
Paper Formats	A4, Letter
Paper Capacity 1	80

### PAPER FEED C1

Paper Input Name	C1
Paper Formats	A4, Letter
Paper Capacity 1	250

### CONNECTIVITY

Network Printing Protocols	TCP/IPv4, TCP/IPv6, SMB 2.0
Network Management Protocols	SNMP, HTTP, DHCP, TCP/IPv4, TCP/IPv6, HTTPS
Network Protocol	HTTPS, IPv4, IPv6
Interfaces	Wi-Fi Direct, Hi-Speed USB - compatible with USB 2.0 specification, Wireless LAN IEEE 802.11b/g/n, Ethernet interface (100 Base-TX / 10 Base-T)
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA3-SAE(AES)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print), Apple AirPrint, Epson iPrint App
Network Protocol	TCP/IPv4, TCP/IPv6, HTTP, HTTPS

## WorkForce Pro WF-C4310DW

### WHAT'S IN THE BOX

- Individual Ink Cartridges
- Quick Start Guide
- Warranty document
- Power cable

## PRODUCT SPECIFICATIONS

### GENERAL

Recommended number of users	From:1 To:4
Energy Use	4,8 Watt (Ready), 0,2 Watt (Power off), 0,9 Watt (sleep mode), 23 Watt (Printing), TEC 0,14 kWh/week
Supply Voltage	AC 100 V - 120 V
Product dimensions	425 x 378 x 164 mm (Width x Depth x Height)
Product weight	5,8 kg
Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later
Sound Power	Operation:5,3 B (A)
Noise	Operation:53 dB (A)

### ADDITIONAL FEATURES

Panel	Type: Color, Diagonal:6,1 cm
-------	------------------------------

### PRODUCT SAFETY

Product Safety Warnings	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction. Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction. Always follow the information on the product label.
-------------------------	--

### OTHER FEATURES

Emulations	ESC/P-R
------------	---------

### OTHER

Warranty	12 months On-site service Optional warranty extension available
----------	--

## PRODUCT SPECIFICATIONS

### TECHNOLOGY

Printing Method	PrecisionCore™ Print Head
Nozzle Configuration	800 Nozzles Black, 256 Nozzles per Color
Minimum Droplet Size	3,8 pl, With Variable-Sized Droplet Technology
Ink Technology	DURABrite™ Ultra
Category	Home Office, Office Desktop
All-in-One Functions	Print

### PRINT

Number of colours	4 colour
First Page Out	Monochrome6,3 Seconds, Colour9,3 Seconds
Printing Speed ISO/IEC 24734	21 pages/min Monochrome, 11 pages/min Colour
Printing Resolution	4.800 x 2.400 DPI
Printing Volume	33.000 pages per month The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
Colours	Black [Pigment], Cyan [Pigment], Yellow [Pigment], Magenta [Pigment]
Print from	PC, MAC, Mobile Device

### PAPER / MEDIA HANDLING

Paper Formats	Letter, A4 (21.0x29.7 cm)
Automatic Document Feed	Yes
Compatible Paper Weight	64 - 255g/m² Paper compatibility may vary by printer. Third party media may not be compatible. See printer's online User's Guide for suitable Epson paper and note that 300gsm, where applicable, is based on Epson Ultra Glossy Photo Paper
Duplex	Yes (A4, plain paper)
Output Tray Capacity	Output Tray 1:250 Sheets
Paper Tray Capacity	250 Sheets Maximum
Number of paper trays	1

### PAPER FEED RASF

Paper Input Name	RASF
Paper Formats	A4, Letter
Paper Capacity 1	80

### PAPER FEED C1

Paper Input Name	C1
Paper Formats	A4, Letter
Paper Capacity 1	250

### CONNECTIVITY

Network Printing Protocols	TCP/IPv4, TCP/IPv6, SMB 2.0
----------------------------	-----------------------------

---

Network Management  
Protocols

SNMP,  
HTTP,  
DHCP,  
TCP/IPv4,  
TCP/IPv6,  
HTTPS

Network Protocol

HTTPS,  
IPv4, IPv6

Interfaces

Wi-Fi Direct,  
Hi-Speed  
USB -  
compatible  
with USB 2.0  
specification,  
Wireless  
LAN IEEE  
802.11b/g/n,  
Ethernet  
interface  
(100 Base-  
TX / 10  
Base-T)

WLAN Security

WEP 64 Bit,  
WEP 128 Bit,  
WPA PSK  
(TKIP),  
WPA2 PSK  
(AES),  
WPA3-  
SAE(AES)

Mobile and Cloud printing  
services

Epson  
Connect  
(iPrint, Email  
Print), Apple  
AirPrint,  
Epson iPrint  
App

Network Protocol

TCP/IPv4,  
TCP/IPv6,  
HTTP,  
HTTPS

---

**WorkForce Pro WF-C4310DW**

---

**WHAT'S IN THE BOX**

---

- Individual Ink Cartridges
- Quick Start Guide
- Warranty document
- Power cable

## PRODUCT SPECIFICATIONS

### GENERAL

Recommended number of users	From:1 To:4
Energy Use	4,8 Watt (Ready), 0,2 Watt (Power off), 0,9 Watt (sleep mode), 23 Watt (Printing), TEC 0,14 kWh/week
Supply Voltage	AC 100 V - 120 V
Product dimensions	425 x 378 x 164 mm (Width x Depth x Height)
Product weight	5,8 kg
Compatible Operating Systems	Mac OS X 10.6.8 or later, Windows 10 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows 8.1 (32/64 bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista (32/64 bit), Windows XP Professional x64 Edition SP2 or later, Windows XP SP3 or later (32-bit), Windows Server 2003 R2, Windows Server 2003 SP2 or later
Sound Power	Operation:5,3 B (A)
Noise	Operation:53 dB (A)

### ADDITIONAL FEATURES

Panel	Type: Color, Diagonal:6,1 cm
-------	------------------------------

### PRODUCT SAFETY

Product Safety Warnings	Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction. Contains 2-methylisothiazol-3(2H)-one. May produce an allergic reaction. Always follow the information on the product label.
-------------------------	--

### OTHER FEATURES

Emulations	ESC/P-R
------------	---------

### OTHER

Warranty	12 months On-site service Optional warranty extension available
----------	--

## LOGISTICS INFORMATION

SKU	C11CK18401
EAN code	8715946703800
Country of Origin	Indonesia
Layer	2 Units

Epson Deutschland GmbH  
Schiesstraße 49  
D-40549 Düsseldorf  
Info-Line: 02159 92 79 500  
Telefax: +49 (0) 211 54229-001  
www.epson.de

Epson in Österreich  
Info-Line: 01 253 49 78 333  
www.epson.at  
Epson in der Schweiz  
Info-Line: 022 592 7923  
www.epson.ch

Alle Marken und eingetragenen Warenzeichen sind das Eigentum der Seiko Epson Corporation oder der jeweiligen Rechteinhaber.  
Diese Produktinformationen können ohne vorherige Ankündigung geändert werden.

## WorkForce Pro WF-C4310DW

### INK YIELD DATA



Spectacles 408XL



1.700 pages\*

\* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit <http://www.epson.eu/pageyield>

### INK CARTRIDGE COMPATIBILITY

● 408

● 408

● 408

● 408



1. Determined in accordance with ISO/IEC 24734 showing the average of ESAT from the Office Category Test for default A4 simplex. For more information, please visit [www.epson.eu/testing](http://www.epson.eu/testing)
2. Based on testing carried out by BLI in July 2019, compared to equivalent competitor (HP and Canon) printer models, using tri-colour cartridges, according to the manufacturers' websites, July 2018. Weighting for Document and Photo printing applied based on TNS 'Printing Usage & Attitudes Study', June 2013.
3. Approx. page yield based on ISO/IEC 24711/24712. Actual yield will vary depending on images printed and usage conditions. For more information visit [www.epson.eu/pageyield](http://www.epson.eu/pageyield)
4. Epson iPrint requires a wireless connection and the Epson printing app. Epson Email print, Epson Remote Print Driver and Epson Scan-to-Cloud require an internet connection. For more information, supported languages and devices, please visit [www.epsonconnect.eu](http://www.epsonconnect.eu)
- 5.
6. WARNING: when printing on glossy photo paper ink drying time will be considerably extended

**EPSON**<sup>®</sup>