

Color imageCLASS MFb34(dw/MFb32(dw

Multifunction, Color, Wireless Laser Printer

REVOLUTIONIZE TODAY'S WORKSPACE

- Includes Three-Year Limited Warranty supported by Canon's U.S. Based Service Support Network.
- Easily connect your mobile devices without a router using Wi-Fi® Direct Connection.
- Print at speeds of up to 19 pages per minute,* with your first print in your hands in 12 seconds or less.**
- Single-Pass, two-sided scan—scans both sides of your document in a single pass. (MF634Cdw only)
- V² (Vivid and Vibrant) Color Technology produces high-quality prints by increasing image sharpness and color vibrancy.
- Print on-the-go with Canon PRINT Business,[†] Mopria[™]
 Print Service,^{††} Apple[®] AirPrint[®],^{†††} and Google Cloud Print[™].[≜]
- QR Code Connection allows you to easily pair your mobile device using the Canon PRINT Business app.[†]
- Navigate through all the features with the user-friendly, 5-inch, Color Touch LCD Panel.
- Eco-conscious, two-sided printing out of the box helps save paper and related cost.
- Easily print from, and scan to, your **USB flash drive** in JPEG, TIFF, and PDF formats.
- Low energy consumption; uses less than 1 W in Sleep, Energy Saver Mode.
- **Hi-Capacity Toner Options** keep up with your printing needs and limit toner replacement interruptions.















ADVANCED TECHNOLOGIES FOR YOUR HOME OR OFFICE

Speed and Versatility

The MF634Cdw/MF632Cdw models deliver high-speed, color and black-and-white output up to 19 ppm* to help keep your business running. With paper capacity of up to 151 sheets, ^^ one sheet manual feed slot, and a monthly duty cycle of up to 30,000 pages per month, the MF634Cdw/MF632Cdw give your business the versatility it needs.

Print On-the-Go

Print a variety of file types, Web pages, and images onthe-go with Canon PRINT Business,[†] Mopria[™] Print Service,^{††} Apple[®] AirPrint[®],^{†††} and Google Cloud Print[™] using your compatible mobile device. You can also scan hard-copy originals using Canon PRINT Business. For more information on Canon supported apps and compatibility, please visit https://www.usa.canon.com/mobile-app.









Color Touch LCD Panel

The intuitive, customizable, 5-inch, Color Touch LCD Panel allows you to easily navigate through the menu. The wide-screen display is user friendly, helping you to complete tasks more quickly.



Service and Support

When it comes to support for your business, value and quality are top priority. Your business requires a strong commitment to reliability and peace of mind that comes from



top-level expertise and pride in delivering complete customer satisfaction. From cutting edge technology to industry-leading response times, Canon's award-winning, U.S.-based, friendly and knowledgeable Customer Service Team provides expert assistance for every level of experience.

The MF634Cdw/MF632Cdw comes with a three-year limited warranty, giving you the support, peace of mind and value your business thrives on.

GENUINE Toner Cartridges

Designed by Canon engineers and manufactured in Canon facilities, GENUINE supplies are developed using precise specifications, so you can be confident that your Canon device will produce high-quality results consistently. The MF634Cdw/MF632Cdw offers Hi-Capacity toner options that keep up with your busy printing needs, so you have less replacement efforts and more time. Canon S-Toner produces a highly detailed toner image, helps ensure a precise transfer performance, and eliminates the need to use oil during fixing. The Single-Cartridge System combines the toner and drum into the same unit, which means you only have one consumable to replace.

Image Quality

Achieve high-quality printing and sharp, vibrant colors with V^2 (Vivid and Vibrant) Color Technology. This technology expands the color gamut of dark areas and shadows, in particular, for greater sharpness and detail.





	Color imageCLASS MF634Cdw	Color imageCLASS MF632Cdw	
	BASIC SPEC	IFICATIONS	
Functions	Print/Scan/Copy/Fax /PC Fax	Print/Scan/Copy	
Replaces	MF628Cw	MF624Cw	
Print Speeds	Up to 19 ppm* (1-sided	d, plain paper, Letter)	
Default Print Mode: Two-sided)	Up to 11.3 ppm* (2-sided, plain paper, Letter)		
Connectivity	USB 2.0 Hi-Speed, 10/100/1000 Base-T Ethernet (Network), 802.11 b/g/n Wireless*		
Operating Systems	Windows® 10/8.1/8/7, Windows Server® 2016/2012 R2/2012/2008 R2/2008, Windows Vista®, Mac® OS 10.7.5 or L		
peruting Systems	(Drivers available for downloa	(Drivers available for download from www.usa.canon.com)	
	PAPER HANDLING		
aper Types	Letter, Legal, A4, A5,** B5, Statement, Executive		
tandard Cassette	Up to 150 Sheets (14-43 lb. B		
lultipurpose Tray	One-Sheet Manual Feed Slot (14-4)	3 lb. Bond) (3" x 5" to 8.5" x 14")▲▲	
Platen Size	Up to 8.	.5" x 11"	
Automatic Document Feeder (ADF)	Duplex ADF (50 Sheet)	Simplex ADF (50 Sheet)	
Output Tray	100 Sheets (,	
Ouplex	Print/Scan/Copy/Fax	Print	
Outy Cycle	Up to 30,000 Pa		
ecommended Monthly Print Volume (RMPV)		200-2,500 pages	
ecurity	IP/MAC Address Filtering, SNMPv3, SSL (H	TTPS / IPPS), IEEE802.1x, WEP 64/128 bit,	
ecurity	WPA-PSK (TKIP/AES), WPA2-PSK (AES), Secure F	Print, Department ID Management (up to 300 IDs)	
	PRINTER SPE	CIFICATIONS	
rst-Print Time	Black/Color: 12 Seconds or Less (Letter)**		
rinter Language	,	Blacky Color: 12 Seconds or Less (Letter) UFR II	
rint Resolution	UFR II Up to 600 x 600 dpi, 1200 x 1200 dpi Quality		
rint Resolution	Up to 600 x 600 api, 1200 x 1200 api Quality Print from USB Flash Drive (JPEG, TIFF, PDF), Print Modes (Poster, Booklet, Watermark, Toner Saver, Page Composer)		
rint Memory	Print from USB Flash Drive (JPEG, TIFF, PDF), Print Modes (Poster, Booklet, Watermark, Toner Saver, Page Composer) 1 GB (Shared)		
Mobile Print	Canon PRINT Business, [†] Mopria™ Print Service, ^{††} Apple® AirPrint®, ^{†††} Google Cloud Print™ [▲]		
nobile i i iii	Canon PRINT Business, Mopria Print Service, Apple AirPrints, Google Cloud Print COPIER SPECIFICATIONS		
rirst-Copy Time	Black: Approx. 11.7 Seconds (Letter)		
· · ·	Color: Approx. 13.8 Seconds* (Letter)		
opy Resolution	Up to 600 x 600 dpi		
alftones	256 Levels		
Max. Number of Copies	Up to 999 Copies Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on-1, ID Card Copy, Copy Modes (Text, Photo, Text/Photo)		
opy Features	1 GB (Shared)		
Copy Memory			
	SCANNER SPECIFICATIONS		
Scan Type	Color Contact Image Sensor (CIS); 24-bit Color Depth; TWAIN, WIA, and ICA Compatible		
can Speed	Black and White: 28 ipm; Color: 14 ipm		
Scan Resolution	Up to 600 x 600 dpi (optical); Up to 9600 x 9600 (software interpolated resolution)		
Output File Formats	JPEG, TIFF, PDF, PDF Compact/OCR (Text Searchable)		
Scan Features	Push (Scan-to-PC) and Pull Scan, Scan-to-USB Flash Drive (PDF, JPEG, TIFF)		
Scan-to-Email	Yes		
scan-to-SMB	Ye	es	
ican-to-SMB	Ye FAX SPECII	es	
	Ye	es	
Modem Speed	Ye FAX SPECII	es	
Nodem Speed ax Resolution	Ye FAX SPECI Up to 33.6 Kbps (Super G3)***	es	
lodem Speed ax Resolution ax Memory	Ye FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine)	es	
Modem Speed iax Resolution iax Memory Speed Dialing	Ye FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets*	FICATIONS	
Modem Speed Fax Resolution Fax Memory Faced Dialing Forup Dialing	Ye FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations	es	
Modem Speed iax Resolution iax Memory ipeed Dialing iroup Dialing	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax	FICATIONS	
Modem Speed fax Resolution fax Memory speed Dialing froup Dialing sequential Broadcasting	Ye FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection	FICATIONS	
Modem Speed fax Resolution fax Memory fpeed Dialing froup Dialing frequential Broadcasting	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity	FICATIONS	
Modem Speed fax Resolution fax Memory fpeed Dialing froup Dialing frequential Broadcasting	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports	PICATIONS N/A	
Nodem Speed ax Resolution ax Memory peed Dialing iroup Dialing equential Broadcasting	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity	PICATIONS N/A	
lodem Speed ax Resolution ax Memory peed Dialing roup Dialing equential Broadcasting ax Features	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1"	PICATIONS N/A **CIFICATIONS 1' (D) x 15.7" (H)	
lodem Speed ax Resolution ax Memory peed Dialing roup Dialing equential Broadcasting ax Features	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1" 44 lb. (w/o CRG);	PICATIONS N/A **CIFICATIONS 1' (D) x 15.7" (H) 48.4 lb. (w/CRG)	
lodem Speed ax Resolution ax Memory peed Dialing roup Dialing equential Broadcasting ax Features imensions	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1" 44 lb. (w/o CRG); Approx.	PICATIONS N/A N/A **CIFICATIONS 1' (D) x 15.7" (H) 48.4 lb. (w/CRG) 63.8 lb.	
lodem Speed ax Resolution ax Memory peed Dialing roup Dialing equential Broadcasting ax Features imensions leight ackage Weight	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1" 44 lb. (w/o CRG);	PICATIONS N/A **CIFICATIONS 1' (D) x 15.7" (H) 48.4 lb. (w/CRG) 63.8 lb.	
lodem Speed ax Resolution ax Memory peed Dialing roup Dialing equential Broadcasting ax Features imensions leight ackage Weight	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1" 44 lb. (w/o CRG); Approx.	N/A **CIFICATIONS 1'(D) x 15.7" (H) 48.4 lb. (w/CRG) 63.8 lb. in ** (Extended warranty available)	
Modem Speed ax Resolution ax Memory peed Dialing iroup Dialing equential Broadcasting ax Features limensions Weight Jarranty	FAX SPECION FAX SPECION CONTROLL OF THE PROPERTY OF THE PROPER	N/A SCIFICATIONS 1 (D) x 15.7" (H) 48.4 lb. (w/CRG) 63.8 lbin • (Extended warranty available) SPECIFICATIONS	
Modem Speed Tax Resolution Tax Memory Tipeed Dialing Tiroup Dialing Tirou	FAX SPECION Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1" 44 lb. (w/o CRG); Approx. Three-Year Limited Exchange/Carry ENVIRONMENTAL 0.5 k	N/A **CIFICATIONS ('(D) x 15.7" (H) 48.4 lb. (w/CRG) 63.8 lb. **-in *** (Extended warranty available) **SPECIFICATIONS **Wh	
Modem Speed Fax Resolution Fax Memory Foed Dialing Forup Dialing Foequential Broadcasting Fax Features Dimensions Weight Package Weight Varranty Typical Energy Consumption (TEC) Power Consumption	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1" 44 lb. (w/o CRG); Approx. Three-Year Limited Exchange/Carry ENVIRONMENTAL 0.5 k Operation: Approx. 340 W; Standby: Approx. 12.8 W; Energen	N/A **CIFICATIONS **(D) x 15.7" (H) 48.4 lb. (w/CRG) 63.8 lb. **-in *** (Extended warranty available) **SPECIFICATIONS **Wh **gy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless)	
Modem Speed fax Resolution fax Memory fipeed Dialing froup Dialing froup Dialing froup Speed Dialing froup Dialing	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1" 44 lb. (w/o CRG); Approx. Three-Year Limited Exchange/Carry ENVIRONMENTAL 0.5 k Operation: Approx. 340 W; Standby: Approx. 12.8 W; Energy Operation: 49 dB (sound pre	PICATIONS N/A **CIFICATIONS 1' (D) x 15.7" (H) 48.4 lb. (w/CRG) 63.8 lb. in ** (Extended warranty available) **SPECIFICATIONS **Wh **gy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) ssure) 64 dB (sound power);	
Modem Speed ax Resolution ax Memory speed Dialing aroup Dialing sequential Broadcasting ax Features Dimensions Veight ackage Weight Varranty Sypical Energy Consumption (TEC) Sower Consumption	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1" 44 lb. (w/o CRG); Approx. Three-Year Limited Exchange/Carry ENVIRONMENTAL 0.5 k Operation: Approx. 340 W; Standby: Approx. 12.8 W; Energy Operation: 49 dB (sound presented by the additional distributions) and the second presented by the superior of the s	PICATIONS N/A **CIFICATIONS 1' (D) x 15.7" (H) 48.4 lb. (w/CRG) 63.8 lb. in ** (Extended warranty available) **SPECIFICATIONS **Wh **gy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) **ssure) 64 dB (sound power); **e (sound pressure)	
Modem Speed fax Resolution fax Memory fipeed Dialing froup Dialing froup Dialing froup Speed Dialing froup Dialing	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1" 44 lb. (w/o CRG); Approx. Three-Year Limited Exchange/Carry ENVIRONMENTAL 0.5 k Operation: Approx. 340 W; Standby: Approx. 12.8 W; Energy Operation: 49 dB (sound presented by the company of	N/A **CIFICATIONS I' (D) x 15.7" (H) 48.4 lb. (w/CRG) 63.8 lb. in ** (Extended warranty available) **SPECIFICATIONS **Wh **gy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) **ssure) 64 dB (sound power); **e (sound pressure)	
Modem Speed Fax Resolution Fax Memory Fopeed Dialing Forup Dialing Forup Dialing Forup Seequential Broadcasting Fax Features Dimensions Veight Package Weight Varranty Typical Energy Consumption (TEC) Power Consumption Joise Level***	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1" 44 lb. (w/o CRG); Approx. Three-Year Limited Exchange/Carry ENVIRONMENTAL 0.5 k Operation: Approx. 340 W; Standby: Approx. 12.8 W; Energy Operation: 49 dB (sound presented by the company of	N/A **CIFICATIONS **(D) x 15.7" (H) 48.4 lb. (w/CRG) 63.8 lb. **-in *** (Extended warranty available) **SPECIFICATIONS **Wh **gy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) **ssure) 64 dB (sound power); **e (sound pressure) **essure	
Modem Speed Fax Resolution Fax Memory Speed Dialing Group Dialing Sequential Broadcasting Fax Features Dimensions Weight Package Weight Warranty Typical Energy Consumption (TEC) Power Consumption Noise Level***	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1" 44 lb. (w/o CRG); Approx. Three-Year Limited Exchange/Carry ENVIRONMENTAL 0.5 k Operation: Approx. 340 W; Standby: Approx. 12.8 W; Energy Operation: 49 dB (sound pre Standby: Inaudible Years) Silv	N/A **CIFICATIONS **(D) x 15.7" (H) 48.4 lb. (w/CRG) 63.8 lb. **-in *** (Extended warranty available) **SPECIFICATIONS **Wh **gy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) **ssure) 64 dB (sound power); **e (sound pressure) **essure** **SIN THE BOX	
Modem Speed Fax Resolution Fax Memory Speed Dialing Group Dialing Sequential Broadcasting Fax Features Dimensions Weight Package Weight Warranty Typical Energy Consumption (TEC) Power Consumption Noise Level*** ENERGY STAR EPEAT	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1" 44 lb. (w/o CRG); Approx. Three-Year Limited Exchange/Carry ENVIRONMENTAL 0.5 k Operation: Approx. 340 W; Standby: Approx. 12.8 W; Energy Operation: 49 dB (sound president) Standby: Inaudible Year Silv WHAT COMES	N/A **CIFICATIONS **(D) x 15.7" (H) 48.4 lb. (w/CRG) 63.8 lb. **-in ** (Extended warranty available) **SPECIFICATIONS **Wh **gy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) **ssure) 64 dB (sound power); **e (sound pressure) **essure (Sin The Box) MF632Cdw product, Cartridge 045 CMY Starter: 690 Yiel	
Modem Speed fax Resolution fax Memory fipeed Dialing froup Dialing froup Dialing froup Speed Dialing froup Dialing	FAX SPECI Up to 33.6 Kbps (Super G3)*** Up to 400 x 400 dpi (ultra-fine) Up to 512 Sheets* 19 One-Touch Speed Dials (Favorites), 262 Coded Dials 199 Destinations 310 Destinations Fax Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Detection Mode, Auto Redial, Fax Activity/Activity Result/Activity Management Reports GENERAL SPE 17.8" (W) x 18.1" 44 lb. (w/o CRG); Approx. Three-Year Limited Exchange/Carry ENVIRONMENTAL 0.5 k Operation: Approx. 340 W; Standby: Approx. 12.8 W; Energy Operation: 49 dB (sound pre Standby: Inaudible Years) Silv	N/A **CIFICATIONS **(D) x 15.7" (H) 48.4 lb. (w/CRG) 63.8 lb. **-in *** (Extended warranty available) **SPECIFICATIONS **Wh **gy Saver/Sleep Mode: Approx. 1 W (USB/wired/wireless) **ssure) 64 dB (sound power); **e (sound pressure) **essure** **SIN THE BOX	

Note: See back page for disclaimers.

3

Color imageCLASS M F 6 3 4 C d w / M F 6 3 2 C d w



MF634Cdw shown

Color imageCLASS MF634Cdw/MF632Cdw and Accessories

Color imageCLASS MF634Cdw	1475C005
Color imageCLASS MF632Cdw	1475C011
Cartridge 045 Black - Full Yield Cartridge; 1,400 Sheets ISO/IEC	1242C001
Cartridge 045 Cyan - Full Yield Cartridge; 1,300 Sheets ISO/IEC	1241C001
Cartridge 045 Magenta - Full Yield Cartridge; 1,300 Sheets ISO/IEC	1240C001
Cartridge 045 Yellow - Full Yield Cartridge; 1,300 Sheets ISO/IEC	1239C001
Cartridge 045 Hi-Capacity Black - Full Yield Cartridge; 2,800 Sheets ISO/IEC	1246C001
Cartridge 045 Hi-Capacity Cyan - Full Yield Cartridge; 2,200 Sheets ISO/IEC	1245C001
Cartridge 045 Hi-Capacity Magenta - Full Yield Cartridge; 2,200 Sheets ISO/IEC	1244C001
Cartridge 045 Hi-Capacity Yellow - Full Yield Cartridge; 2,200 Sheets ISO/IEC	1243C001
PDF Security-E1	9594B001

Exchange/Carry In eCarePAKs:

Tier 2E One-Year eCarePAK	5707B042
Tier 2E Two-Year eCarePAK	5707B043

Footnotes

- Copy/print speeds are measured based on internal testing using letter size paper copied/printed with 100% copy/print ratio to original on one-sided paper. Internal testing involved continuously copying/printing the same one page of content on plain paper (copy speed is tested by copying on the platen glass). Copy/print speeds may vary depending on paper type, paper size or paper feeding direction. The device may automatically pause or slow down in order to adjust printer condition such as controlling temperature of a certain unit or limiting impact to image quality during continuous copying/printing.
- ** May vary depending on the output environment.
- ** May vary depending on the output environment.
 † Canon PRINT Business is available free on the App Store® and Google Play Store; compatible with iPhone 6 Plus, iPhone 6, iPhone 5C, iPhone 5C, iPhone 5, iPhone 4A, iPad Air 2, iPad Air, iPad 4, iPad 3, iPad 2, Original iPad, iPad mini, iPad mini Retina, iPad mini 3 running iOS 7.0 8.0. Supports Android Tablets and Phones running OS 4.0 5.0. Canon PRINT Business combines the functions of Canon bobile Printing and Canon Mobile Scanning for Business apps into one, streamlining both apps and adds new features and functionality for users of all types, from small or home offices to large enterprise offices. Users of Canon Mobile Printing can simply update the app to use Canon PRINT Business. Users who have installed Canon Mobile Scanning for Business should install Canon PRINT Business. Lesrs who have installed Canon Mobile Scanning for Business ear reregister their Canon Mobile Scanning for Business device list and local documents.
 † Monria Print Service, available free at the Gongle Play Store requires a compatible Android 4.0 5.0
- # Mopria Print Service, available free at the Google Play Store, requires a compatible Android 4.0 5.0 smartphone or tablet. The printer must be either wirelessly connected to the network router or with an Ethernet cable. The mobile device and printermust be connected to the same network

- *** Apple AirPrint functionality requires an iPad, iPad Mini, iPad 2, the new iPad, iPhone 3GS or later, or iPod touch 3rd generation or later device running iOS 7.0 8.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base Station, or Time Capsule is not supported.
- ▲ Google Cloud Print requires an Internet connection and Google Account. Printer firmware update may be necessary for Google Cloud Print™ function. Certain exceptions may apply. A PC running Windows XP or later or a Mac running OS 10.4.11 or later and USB cable are required to perform firmware update.
- ▲▲ Based on 20 lb. Bond paper.
- Wireless performance may vary based on terrain/distance between printer and wireless network clients.
- •• A5 paper is supported in Simplex mode only.
- Letter-sized, after being restored from Energy Saver mode.
- ■■ Based on Letter-sized scanning at 300 x 300 dpi.
- The Public Switched Telephone Network currently supports fax modem speeds of 28.8 Kbps or lower, depending on telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v.34 guidelines.
- Based on ITU-T #1 Chart (standard mode).
- ◆◆ Warranty program is subject to certain conditions and restrictions. See the warranty card for details.
- *** Declared noise emission in accordance with ISO 9296















Wi-Fi® is a registered trademark of the Wi-Fi Alliance®. The Wi-Fi CERTIFIED™ Logo is a certification mark of the Wi-Fi Alliance. As an ENERGY STAR partner, Canon U.S.A., Inc. has certified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageCLASS, the GENUINE Logo, and the Super G3 logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Android is a trademark of Google Inc. App Store is a service mark of Apple Inc. iPhone, iPad Air, iPad, iPad mini are trademarks of Apple Inc., registered in the U.S. and other countries. iOS is a trademark or registered trademark of Cisco in the United States and other countries and is used under license. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for typographical errors. ©2017 Canon U.S.A., Inc. All rights reserved.

















