

ORDERING GUIDE

ARUBA 210 SERIES ACCESS POINTS

1. SELECT AP MODEL

Part Number	Description	Configuration Impact
Controller-based Access Points		
AP-214	Dual-radio 802.11n/ac 3x3 AP, antenna connectors	Add PoE injector or AC adapter, antennas
AP-215	Dual-radio 802.11n/ac 3x3 AP, integrated antennas	Add PoE injector or AC adapter
AP-214-F1	Dual-radio 802.11n/ac 3x3 AP, antenna connectors, FIPS/TAA compliant	Add PoE injector or AC adapter, antennas
AP-215-F1	Dual-radio 802.11n/ac 3x3 AP, integrated antennas, FIPS/TAA compliant	Add PoE injector or AC adapter
Instant Access Points		
IAP-214-RW	Dual-radio 802.11n/ac 3x3 IAP, antenna connectors, rest of world	Add PoE injector or AC adapter, antennas
IAP-214-US	Dual-radio 802.11n/ac 3x3 IAP, antenna connectors, US regulatory domain	Add PoE injector or AC adapter, antennas
IAP-214-JP	Dual-radio 802.11n/ac 3x3 IAP, antenna connectors, Japan regulatory domain	Add PoE injector or AC adapter, antennas
IAP-214-IL	Dual radio 802.11n/ac 3x3 IAP, antenna connectors, Israel regulatory domain	Add PoE injector or AC adapter, antennas
IAP-215-RW	Dual-radio 802.11n/ac 3x3 IAP, integrated antennas, rest of world	Add PoE injector or AC adapter
IAP-215-US	Dual-radio 802.11n/ac 3x3 IAP, integrated antennas, US regulatory domain	Add PoE injector or AC adapter
IAP-215-JP	Dual-radio 802.11n/ac 3x3 IAP, integrated antennas, Japan regulatory domain	Add PoE injector or AC adapter
IAP-215-IL	Dual radio 802.11n/ac 3x3 IAP, integrated antennas, Israel regulatory domain	Add PoE injector or AC adaptor

Note: All models ship with ceiling rail adapters (for flat rails) in the box.

2. ADD POWERING ACCESSORIES (OPTIONAL)

Part Number	Description	Configuration Impact
PD-3501G-AC	PoE midspan injector, 10/100/1000 802.3af (15.4W) Note: AP has reduced functionality when using 802.3af PoE (USB port disabled)	Add AC power cable
PD-9001GR-AC	PoE midspan injector, 10/100/1000 802.3at (30W)	Add AC power cable
AP-AC-12V30A	12V/30W AC-to-DC power adapter, plug type A	Add AC power cable
AP-AC-12V18	12 Vdc/18-watt AC power adapter	Add AC power cable
AP-AC-12V18HT	12 Vdc/18-watt AC power adapter (high temperature)	Add AC power cable
AP-AC-UN	12 Vdc AC power adapter (18 watts), universal	
AP-DC-CAR	12 Vdc car power adapter kit	For US and Japan only

2. ADD POWERING ACCESSORIES (OPTIONAL)

Part Number	Description
Select three-prong AC power cord for injector or AC adapter (no power cable needed for universal adapter):	
PC-AC-ARG	Argentina version
PC-AC-AUS	Australia version
PC-AC-BR	Brazil version
PC-AC-CHN	China version
PC-AC-DEN	Denmark version
PC-AC-EC	Continental Europe version
PC-AC-IN	India version
PC-AC-IL	Israel version
PC-AC-IT	Italy version
PC-AC-JPN	Japan version
PC-AC-KOR	Korea version
PC-AC-NA	North America version
PC-AC-SWI	Switzerland version
PC-AC-TW	Taiwan version
PC-AC-UK	United Kingdom version
PC-AC-ZA	South Africa version

3. ADD MOUNT ACCESSORIES (OPTIONAL)

Part Number	Description
AP-210-MNT-T	Aruba 210 Series Access Points ceiling tile mount kit
AP-220-MNT-C2	Aruba access point ceiling mount kit (rail adapters – Interlude and silhouette styles) Color: Black
AP-220-MNT-W1	Aruba access point flat-surface (wall) mount kit (basic) Color: Black
AP-220-MNT-W1W	Aruba access point flat-surface (wall) mount kit (basic) Color: White. Mechanically identical to AP-220-MNT-W1
AP-220-MNT-W2	Aruba access point flat-surface (wall) mount kit (secure box style) Color: Black
AP-220-MNT-W2W	Aruba access point flat-surface (wall) mount kit (secure box style) Color: White. Mechanically identical to AP-220-MNT-W2

4. SELECT ANTENNAS (AP-214 ONLY)

Part Number	Qty	Interface(s)	Target Environment	Mounting
AP-214 antenna interface: 3x RP-SMA female, concurrent dual-band.				
AP-ANT-1W	3	1x RP-SMA male connector	Indoor	Direct-mount
AP-ANT-13B	3	1x RP-SMA male pigtail	Indoor	Direct, using pigtails
AP-ANT-16	1	3x RP-SMA male pigtail	Indoor	Direct, using pigtails
AP-ANT-19	3	1x RP-SMA male pigtail	Indoor/outdoor	Direct, using pigtails
AP-ANT-20W	3	1x RP-SMA male connector	Indoor	Direct-mount
AP-ANT-35A	1	3x RP-SMA male pigtail	Indoor/outdoor	Direct, using pigtails
AP-ANT-38	1	3x RP-SMA male pigtail	Indoor/outdoor	Direct, using pigtails

5. ADD ANTENNA MOUNT KIT (OPTIONAL)

Part Number	Description	Comments
AP-ANT-MNT-3	Azimuth and Elevation adjustable mount kit for pole or wall mounting	Compatible with AP-ANT-25A, AP-ANT-28, AP-ANT-35A and AP-ANT-38

6. ADD COSMETIC SNAP-ON COVER (AP-215 ONLY, OPTIONAL)

Part Number	Description	Comments
AP-215-CVR-20	Kit of 20 snap-on covers for AP-215. Plain white, non-glossy, with holes for LED indicators.	1 kit per 20 access points